





do-HB
W660/D660/H970mm

do-HBH
W660/D660/H1180mm

do-HBC
W660/D660/H1240mm

do-HBA
W660/D660/H970mm

do-HBAH
W660/D660/H1180mm

do-HBCA
W660/D660/H1240mm

STATEMENT OF LINE

Standard Product Information

Castors / Glides: Black, 50mm hard tyre, free-wheel castors on task chairs & black, fixed glides on counter-height chairs.

Base: 26 inch black nylon with removable collar to aid recycling.

Gas lift: Black, powder coated steel barrel on task chairs with black extra-height lift & foot-ring fitted to counter-height chairs.

Mechanism: Synchronous & weight balancing action with up to 20 deg of recline. Non locking to encourage movement throughout the day.

Seat: Black seat pan with 76mm of seat depth adjustment. Integrated seat height & seat depth controls.

Seat cushion: Combustion Modified High Resilient (CMHR) moulded foam. Seamless cover for fabric upholstery & panelled cover for leather or vinyl.

Arms: Colour matched to backrest. Black TPU, soft touch arm pad with 100mm of height adjustment.

Backrest frame: Black or stone frame with black 'technical' mesh or grey 'upholstered' back mesh textile.

Backrest upholstery plate: Black, white, grey, stone or leaf green.

Lumbar pad: Black, flexible TPU pad with 100mm of height adjustment

Headrest: Frame colour matched to backrest & upholstery cover matched to seat cover.

Optional Upcharges

Mechanism with travel limiter / back lock

(3 position travel limiter with back lock in the upright position)

Polished aluminium base

(with 65mm black castor & brushed steel gas lift)

65mm black castor

(for use with nylon base)

Multi-adjustable arms with soft touch rotating arm pads

(70mm height adj. with black or polished aluminium arm supports)

Width adjustment on arms

(on standard or multi-adjustable arms)

Luxury seat upholstery

(quilted layer in fabric seat cover)

Glides

(on task chairs with either nylon or aluminium base options)






black



grey



white



stone



leaf

BACK FRAME OPTIONS

Vital Statistics

User weight range:	50kg to 150kg
Seat height (task):	405mm to 535mm
Seat height (counter):	680mm to 940mm
Seat depth adjustment:	76mm
Seat cushion width:	520mm
Seat cushion depth:	470mm
Lumbar height adj:	100mm
Effective seat depth:	400mm to 476mm
(lumbar point to front of seat foam)	

Height adjustable arm (standard)

Arm height adjustment:	100mm
Arm width adjustment:	35mm (option)

Multi-adjustable arm (option)

Arm height adjustment:	70mm
Arm width adjustment:	35mm (option)
Arm-pad rotation:	180 deg (with auto safety lock)

Standards & Testing

Chair range designed to conform to the following British, European & American Standards.

BS EN 1335 - 1 : 2000	Part 1 – Dimensions, determination of dimensions Part 2 – Safety requirements Part 3 – Test methods
BS 5459 – 2 : 2000 & A2 2008	Specification for Performance Requirements and Tests for Office Furniture.
ANSI / BIFMA X5.1 – 2011	American National Standard for Office Furniture
BIFMA G1 – 2011	Ergonomics Guideline for Visual Display Terminal Furniture used in Office Spaces
BS EN ISO 9241-5:1999	Ergonomic requirements for office work with visual display terminals (VDTs). Workstation layout and postural requirements



MESH / ARM / CASTOR OPTIONS



black outer frame



black height adjustable arm



black multi-adjustable arm with black arm support



black multi-adjustable arm with polished arm support



technical mesh



stone outer frame



stone height adjustable arm



stone multi-adjustable arm with black arm support



stone multi-adjustable arm with polished arm support



upholstery mesh



black nylon base with 50mm castor



black nylon base with 65mm castor



polished aluminium base with 65mm castor