

Stacking chair / stool

Frame: tapered steel tube Ø 20 mm
in powder coated finish




Seat /back: recyclable polypropylene
reinforced with fiberglass

Spacers and glides: recyclable
thermoplastic material

Cult is not available
for North and South America



	Article	pcs / dimensions volume / gross weight product net weight
Chair	S0015	4 pcs / 49x64,5x101 cm 0,31 m ³ / 24,9 Kg 5,35 Kg
Stool H. 75 cm	G0015	1 pc / 51x53x105 cm 0,29 m ³ / 9,5 Kg 7,6 Kg

Finishes**Polypropylene****Metal frame****Dimensions****Fire-retardant version**

Fire retardant version black colour 7F

NOTE: fire retardant compounds may cause slightly
difference of colours

Fire retardant certifications

The product meets Class 2 by the Italian Minister of Interior.

Resistance tests

EN 1022:2005 – stability
EN 1728:2012+AC:2013 – seat impact test
EN 1728:2012+AC:2013 – back impact test - 2 extreme
EN 1728:2012+AC:2013 – side legs static load test
EN 1728:2012+AC:2013 – seat front edge fatigue test
EN 1728:2012+AC:2013 – front leg static load test
EN 1728:2012+AC:2013 – seat –back fatigue test
EN 1728:2012+AC:2013 – back vertical static load test
EN 1728:2012+AC:2013 – seat and back static load test
EN 16139:2013+ac:2013 – general requirements of resistance
ANSI-BIFMA 5.1 -2011/11 – seating durability test
ANSI-BIFMA 5.1 -2011/18 – front legs static load test
ANSI-BIFMA 5.1 -2011/18 – side legs static load test