


PEBBLE CHANDELIER 3 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.


TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage:
110–277V, 220–240V
- Lamping:
3 x Integral 14W 2700K LED
90+ CRI, 50,000 hours
- Lumens:
3 x 1038 lumens delivered (pearl glass)
- Power Supply:
TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY


MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 69cm / 27"
- Canopy weight: 11kg / 25lbs
- Hang weight: 26kg / 58lbs

CANOPY FINISHES



CUSTOM AVAILABLE

Pebble Chandelier can be expanded further than the shown options.
For custom arrangements and special projects, please contact info@n-d.com

PEBBLE CHANDELIER 3 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021

HELIX

☐ PEB-CHA-3-P-HE- - - - -



69cm [27"]

61cm [24"]

CLEINT
SPECIFIED
DROP
----- **CM**
(MAX. 800cm)

3

2

1

MAX.
680cm
268"

MIN.
120cm
47.25"

MIN.
40cm
15.75"

SERIES	MODEL	TYPE	ARRANGEMENT	GLASS FINISH	CANOPY FINISH	SPECIFIED DROP	PS	VOLTAGE IN
PEB	CHA-3	P	☐ HE (HELIX)	☐ PL (ALL PEARL) ☐ SL (ALL SLATE) ☐ CI (ALL CITRINE) ☐ AS (ASSORTED)	☐ WH (WHITE SANDEXT) ☐ BK (BLACK SANDEXT) ☐ SM (SATIN METAL)	☐ ----- CM (please specify drop height in centimeters)	☐ UNV ☐ DAL	☐ 120/277 ☐ 230




PEBBLE CHANDELIER 4 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.

TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES



PEARL "PL"

SLATE "SL"

CITRINE "CI"




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage:
110–277V, 220–240V
- Lamping:
4 x Integral 14W 2700K LED
90+ CRI, 50,000 hours
- Lumens:
4 x 1038 lumens delivered (pearl glass)
- Power Supply:
TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY

MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 69cm / 27"
- Canopy weight: 11kg / 25lbs
- Hang weight: 31kg / 69lbs

CANOPY FINISHES



WHITE (WH)

BLACK (BK)

SATIN METAL (SM)



FOR CUSTOM FINISHES,
PLEASE INQUIRE.

CUSTOM AVAILABLE


Pebble Chandelier can be expanded further than the shown options.
For custom arrangements and special projects, please contact info@n-d.com

PEBBLE CHANDELIER 5 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.


TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage:
110–277V, 220–240V
- Lamping:
5 x Integral 14W 2700K LED
90+ CRI, 50,000 hours
- Lumens:
5 x 1038 lumens delivered (pearl glass)
- Power Supply:
TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY


MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 69cm / 27"
- Canopy weight: 11kg / 25lbs
- Hang weight: 36kg / 80lbs

CANOPY FINISHES



CUSTOM AVAILABLE


Pebble Chandelier can be expanded further than the shown options.
For custom arrangements and special projects, please contact info@a-n-d.com

PEBBLE CHANDELIER 6-P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.


TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage: 110-277V, 220-240V
- Lamping: 6 x Integral 14W 2700K LED 90+ CRI, 50,000 hours
- Lumens: 6 x 1038 lumens delivered (pearl glass)
- Power Supply: TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY


MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 69cm / 27"
- Canopy weight: 11kg / 25lbs
- Hang weight: 41kg / 91lbs

CANOPY FINISHES



CUSTOM AVAILABLE

Pebble Chandelier can be expanded further than the shown options.
For custom arrangements and special projects, please contact info@a-n-d.com

PEBBLE CHANDELIER 6-P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021

HELIX




☐ PEB-CHA-6-P-HE- - - - -

DOUBLE HELIX

☐ PEB-CHA-6-P-DH- - - - -

CLUSTER

☐ PEB-CHA-6-P-CL- - - - -



SERIES	MODEL	TYPE	ARRANGEMENT	GLASS FINISH	CANOPY FINISH	SPECIFIED DROP	PS	VOLTAGE IN
PEB	CHA-6	P	☐ HE (HELIX)	☐ PL (ALL PEARL)	☐ WH (WHITE SANDTEX)	☐ ----- CM	☐ UNV	☐ 120/277
			☐ DH (DOUBLE HELIX)	☐ SL (ALL SLATE)	☐ BK (BLACK SANDTEX)	(please specify drop	☐ DAL	☐ 230
			☐ CL (CLUSTER)	☐ CI (ALL CITRINE)	☐ SM (SATIN METAL)	height in centimeters)		
				☐ AS (ASSORTED)				

PEBBLE CHANDELIER 7 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.

TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES



PEARL "PL"

SLATE "SL"

CITRINE "CI"




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage:
110–277V, 220–240V
- Lamping:
7 x Integral 14W 2700K LED
90+ CRI, 50,000 hours
- Lumens:
7 x 1038 lumens delivered (pearl glass)
- Power Supply:
TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY

MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 96cm / 37.5"
- Canopy weight: 22kg / 49lbs
- Hang weight: 57kg / 126lbs

CANOPY FINISHES



WHITE (WH)

BLACK (BK)

SATIN METAL (SM)



FOR CUSTOM FINISHES,
PLEASE INQUIRE.

CUSTOM AVAILABLE

Pebble Chandelier can be expanded further than the shown options.

For custom arrangements and special projects, please contact info@a-n-d.com

PEBBLE CHANDELIER 8 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.

TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage:
110–277V, 220–240V
- Lamping:
8 x Integral 14W 2700K LED
90+ CRI, 50,000 hours
- Lumens:
8 x 1038 lumens delivered (pearl glass)
- Power Supply:
TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY

MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 96cm / 37.5"
- Canopy weight: 22kg / 49lbs
- Hang weight: 62kg / 137lbs

CANOPY FINISHES



WHITE (WH) BLACK (BK) SATIN METAL (SM)



FOR CUSTOM FINISHES,
PLEASE INQUIRE.

CUSTOM AVAILABLE

Pebble Chandelier can be expanded further than the shown options.
For custom arrangements and special projects, please contact info@a-n-d.com

PEBBLE CHANDELIER 9-P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.

TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage: 110-277V, 220-240V
- Lamping: 9 x Integral 14W 2700K LED 90+ CRI, 50,000 hours
- Lumens: 9 x 1038 lumens delivered (pearl glass)
- Power Supply: TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY

MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 96cm / 37.5"
- Canopy weight: 22kg / 49lbs
- Hang weight: 67kg / 148lbs

CANOPY FINISHES



WHITE (WH) BLACK (BK) SATIN METAL (SM)



FOR CUSTOM FINISHES,
PLEASE INQUIRE.

CUSTOM AVAILABLE

Pebble Chandelier can be expanded further than the shown options.
For custom arrangements and special projects, please contact info@n-d.com

PEBBLE CHANDELIER 9 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021

HELIX


☐ PEB-CHA-9-P-HE- - - - - -



96cm | 37.8"

88cm | 34.6"

CLEINT
SPECIFIED
DROP
_____ CM
(MAX. 800cm)




MIN.
40cm
15.75"

MAX.
440cm
173.25"
CLEINT
SPECIFIED
DROP
_____ CM
(MAX. 800cm)

MIN.
360cm
141.75"


DOUBLE HELIX

☐ PEB-CHA-9-P-DH- - - - -



96cm | 37.8"

88cm | 34.6"



MIN.
40cm
15.75"

MAX.
600cm
236.25"

MIN.
200cm
78.75"


CLUSTER

☐ PEB-CHA-9-P-CL- - - - - -



96cm | 37.8"

88cm | 34.6"



MIN.
40cm
15.75"

MAX.
440cm
173.25"

MIN.
360cm
141.75"

SERIES	MODEL	TYPE	ARRANGEMENT	GLASS FINISH	CANOPY FINISH	SPECIFIED DROP	PS	VOLTAGE IN
PEB	CHA-9	P	☐ HE (HELIX)	☐ PL (ALL PEARL)	☐ WH (WHITE SANDEXTX)	☐ _____ CM	☐ UNV	☐ 120/277
			☐ DH (DOUBLE HELIX)	☐ SL (ALL SLATE)	☐ BK (BLACK SANDEXTX)	(please specify drop	☐ DAL	☐ 230
			☐ CL (CLUSTER)	☐ CI (ALL CITRINE)	☐ SM (SATIN METAL)	height in centimeters)		
				☐ AS (ASSORTED)				

PEBBLE CHANDELIER 12 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2021



PEB-CHA-3-P-HE-AS-SM-300-UNV-120/277

DESCRIPTION

Exquisite compositions of Pebble Pendants create radiant chandeliers emphasizing range and grandeur as they inhabit a space.

TYPE

Pendant Chandelier

PENDANT DIMENSIONS

- Ø 35cm / 13.75"
- Weight: 5kg / 11lbs

GLASS FINISHES



PEARL "PL"

SLATE "SL"

CITRINE "CI"




ASSORTED "AS"

Glass is hand blown, variations in form, colour and size may occur.

TECHNICAL INFORMATION

- Input Voltage:
110–277V, 220–240V
- Lamping:
12 x Integral 14W 2700K LED
90+ CRI, 50,000 hours
- Lumens:
12 x 1038 lumens delivered (pearl glass)
- Power Supply:
TRIAC/0-10V, DALI

COLOUR TEMPERATURE



CERTIFICATIONS



* APPLICATION: DRY INDOOR LOCATION ONLY

MATERIALS

- Glass
- Aluminum

CANOPY DIMENSIONS

- Ø 96cm / 37.5"
- Canopy weight: 22kg / 49lbs
- Hang weight: 82g / 181lbs

CANOPY FINISHES



WHITE (WH)

BLACK (BK)

SATIN METAL (SM)



FOR CUSTOM FINISHES,
PLEASE INQUIRE.

CUSTOM AVAILABLE

Pebble Chandelier can be expanded further than the shown options.
For custom arrangements and special projects, please contact info@n-d.com

