
Mori Flush Mount

Ceiling Flush Mounts



50 Greene St New York NY 10013 T +1 212 388 1621 sales@rbw.com



For 2D & 3D drawings of all products, including CAD, Revit and IES files, please visit rbw.com

Generate Date: Thu Oct 19 2023

DESCRIPTION

This super simple, organic, glowing sconce is distinguished by its pared-down silhouette. A simple cross-wire frame is fully cocooned in woven threads, then sprayed with a matte lacquer finish. The resulting built-in shade emits a lantern-like, ambient light, ideally installed in multiples.

MATERIALS

Resilient webbed nylon skin over wire frame. Finished with durable matte lacquer.

PERFORMANCE

400 lm

Power Consumption 9W Luminaire Watts 9W 44 lm/W 90 CRI

LED LIFESPAN

50k hours

CERTIFICATION

UL Listed

Suitable for Damp Locations



NOTE ON IMAGERY


All product photos are made using the correlated color temperature (CCT) of 2700k. The actual color temperature experienced within your environment may vary based on other light sources and materials present.


PRODUCT DIMENSIONS

Shell 7 dia x 4 in D | Seed 7dia x 4 in D | Pod 12 dia x 4 in D


Generate Date: Thu Oct 19 2023


YOUR PRODUCT CODE MFM-Specification Logic DIFFUSER STYLE Shell 1 Seed 2 3 Pod COLOR TEMPERATURE 2700K (warm white) 27 3000K (soft white) 30 3500K (neutral white) 35 DIMMING / CONTROL / INPUT 0.1% Dimming, 0-10V Control, 120V or 277V "Universal Input" (Driver External) 0.1_10V_UNV Low Voltage (Driver required, driver not included) LV1% Dimming, TRIAC / Forward Phase Control, 120V Input (Driver External) 1_TRIAC_120V 1% Dimming, 0-10V Control, 120V or 277V "Universal Input" (Driver External) 1_10V_UNV 10% Dimming, TRIAC / Forward Phase Control, 120V Input 10_TRIAC_120V







MS-2 Mori Seed Sconce Dimension (Rotate 90 degrees for flush mount version)






MS-3 Mori Pod Sconce Dimension (Rotate 90 degrees for flush mount version)







MS-1 Mori Shell Sconce Dimension (Rotate 90 degrees for flush mount version)