


Radiant Disc

Sconces



50 Greene St
New York NY 10013
T +1 212 388 1621
sales@rbw.com



For 2D & 3D drawings of all products, including CAD, Revit and IES files, please visit
rbw.com

Generate Date: Fri Oct 20 2023

DESCRIPTION

Diffusing a soft halo of light, Radiant pairs minimalist design with robust LED output and the texture and warmth of solid, sustainably harvested-wood. Custom options for the sconce's simple wooden shade include two shapes, three sizes, and four finishes, allowing for rhythmic color and pattern compositions when installed in groups.

MATERIALS

Ethical sourced solid wood, plastic diffuser, metallic powder coat aluminum base.

PERFORMANCE

433 lm

Power Consumption 8W

Luminaire Watts 8W

54.1 lm/W

95 CRI

LED LIFESPAN

50k hours

CERTIFICATION

UL Listed

Suitable for Damp Locations

IP20



NOTE ON IMAGERY

All product photos are made using the correlated color temperature (CCT) of 2700k. The actual color temperature experienced within your environment may vary based on other light sources and materials present.

PRODUCT DIMENSIONS

Large: 12 in Dia x 4 in Depth | Medium: 10 in Dia x 4 in Depth | Small: 8 in Dia x 4 in Depth

Generate Date: Fri Oct 20 2023

Large: 3.03 lbs / 1.4 kg | Medium: 2.29 lbs / 1 kg | Small: 1.84 lbs / 0.8 kg

3 lb

RD-DS- - - - - - - - - -

SIZE

Large 12"	L
Medium 10"	M
Small 8"	S

White Oak	WF01
Ebonized Oak	WF02
White	WF04
Tzalam / Caribbean Walnut	WF05

Matte White	PC20
Matte White	PC20

COLOR TEMPERATURE

2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35
4000K (cool white)	40


DIMMING / CONTROL / INPUT

Low Voltage (Driver required, driver not included)	LV
1% Dimming, 0-10V Control, 120V or 277V "Universal Input" (Driver External)	1_10V_UNV
1% Dimming, TRIAC / Forward Phase Control, 120V Input (Driver External)	1_TRIAC_120V


IP RATING

IP 20	IP20
-------	------

Drawings





RD-DS-S Radient Disc Small



RD-DS-M Radient Disc Medium

Ø305
[12 in]



RD-DS-L Radiant Disc Large