


Vibia presents a pendant lamp where the light source is invisible, emanating directly from the material. The light is equipped with a counterweight placed on the ground with a cable with plug for this reason it is not necessary to have a light point on the ceiling.

Model Sheet



Optional : Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]

Finish	18 Graphite ADAPTA RF 9913 WX
LED temperature color	3000 K
Dimming	Optical sensor
Installation type	Surface Canopy




Materials	Profile: Aluminum Diffuser: Borosilicate
Light source	1 x LED STRIP 24V 20W G
LED	CRI>90 1742.4 lm 87.12 3000 K
Driver	Constant Voltage 100~240 V V 50~60 Hz HZ
Remarks	The glass is made of borosilicate. It is typical for the glass to have small air bubbles, some inclusions and tiny scratches. These do not affect the quality or the resistance of the glass. F Dimmer LED IP20 Bi-volt Dry Location 50-60Hz

Application	Hanging lamps
Packaging	1 Box 1.18 m x 0.35 m x 0.37 m Gross weigh 8.2 Net weigh 5 Vol. 0.1528

Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Efficiency	1
Coordinate System	CG
Total Flux	905.64 lm
Maximum Value	195.12 cd/klm

