Wireflow lineal




0330


Design By Arik Levy

Wireflow designed by Arik Levy. Linear hanging lamp Its appearance, as a structure of fine cables finished with ten 4,5W LED terminals, is ideal for discretely connecting with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements. Ideal for decorating large spaces, particularly ones with high ceilings, including hotel reception areas, retail sales points

Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

Finish



04 Black **RAL 9005**

LED temperature color

2700 K / 3000 K / 3500 K

Dimming

DALI / Push; 1-10V / Casambi

Instalation type

Surface Canopy

Materials

Body: Aluminum Horizontal rods: Steel Ceiling rose: Aluminum

Light source

10 x LED 4,5W 700mA

LED

CRI>90 4903 lm 109 2700 K / 3000 K / 3500 K

Driver

Constant Current 700 220~240 V V 50~60 Hz HZ

Remarks

Linear canopy



IP20 50-60Hz

Application

Hanging lamps

Packaging

3.3 m x 0.2 m x 0.075 m Gross weigth 11.5 Net weigth 9.5 Vol. 0.0495


Lighting effect


Hidden Diffuser

Subtly directed diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data






Efficiency Coordinate System **Total Flux** Maximum Value

46.23% CG 4903.00 lm 320.25 cd/klm

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty