Wireflow lineal




0338


Design By Arik Levy

Wireflow designed by Arik Levy. Linear hanging lamp. Its appearance, as a structure of fine cables finished with six 4,5W LED terminals, is ideal for discretely connecting with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements. Ideal for decorating large spaces, particularly ones with high ceilings, including hotel reception areas, retail sales points and food and drinks bars.

Model Sheet







Optional : Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]

Finish



04 Black RAL 9005

LED temperature color

2700 K / 3000 K / 3500 K

Dimming

DALI / Push; 1-10V / Casambi

Instalation type

Surface Canopy

Materials

Body: Aluminum Horizontal rods: Steel Ceilina rose: Aluminum

Light source

6 x LED 4,48W 350mA

LED

CRI>90 2942 lm 109 2700 K / 3000 K / 3500 K

Driver

Constant Current 350 110~240

V V 50~60 Hz HZ

Linear canopy

Remarks

IP20 Bi-volt 50-60Hz

Application

Hanging lamps

1 Box Packaging

2.3 m x 0.2 m x 0.075 m Gross weigth 7.2 Net weigth 5.3 Vol. 0.0345


Lighting effect


Hidden Diffuser

Subtly directed diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data






Efficiency Coordinate System **Total Flux** Maximum Value

40.10% CG 2941.60 lm 55.38 cd/klm

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty