# Wireflow




# 0310


Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with eight LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

# Model Sheet







Optional : Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]

#### 04 Black Finish RAL 9005

LED temperature

2700 K / 3000 K / 3500 K

color Dimming

Push; 1-10V; DALI-2 / Casambi

Surface Canopy Instalation type

Ceiling rose: Steel Materials Body: Aluminum Horizontal rods: Steel

4 x LED 4,48W 350mA Light source

CRI>90 1961 lm 108 LED 2700 K / 3000 K / 3500 K

Constant Current 350 110~240 Driver

V V 50~60 Hz HZ

↓ F Dimmable LED

IP20 Bi-volt 50-60Hz

Hanging lamps **Application** 

**Packaging** 

2 DUX 1.158 m x 1.133 m x 0.086 m Gross weigth 9.8 Net weigth 8.32 Vol. 0.1569


## Lighting effect


### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data






Efficiency Coordinate System **Total Flux** Maximum Value

40.11% CG 1961 53.86

## Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty