



Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with four LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

Model Sheet



Optional : Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

Finish  04 Black
RAL 9005

LED temperature color 2700 K / 3000 K / 3500 K

Dimming Casambi / Push; 1-10V; DALI-2

Installation type Surface Canopy



Materials Ceiling rose: Steel
Body: Aluminum
Horizontal rods: Steel

Light source 4 x LED 4,48W 350mA



LED CRI>90 1961 lm 109
2700 K / 3000 K / 3500 K

Driver Constant Current 350 110~240
V V 50~60 Hz HZ




Application Hanging lamps

Packaging 2 Box
0.833 m x 0.819 m x 0.086 m
Gross weight 8.5
Net weight 7.15
Vol. 0.1027


Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 40.11%
Coordinate System CG
Total Flux 1961
Maximum Value 53.86

Other Applications

