# Wireflow




## 0312


Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with four LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

## Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

# Finish O4 Black RAL 9005

**LED temperature** 2700 K / 3000 K / color 3500 K

Dimming Casambi / Push; 1-10V; DALI-2

Instalation type	Surface Canopy
Materials	Ceiling rose: Steel Body: Aluminum Horizontal rods: Steel
Light source	4 x LED 4,48W 350mA
LED	CRI>90 1961 lm 109 2700 K / 3000 K / 3500 K
Driver	Constant Current 350 110~240 V V 50~60 Hz HZ

[IP20] [Bi-volt] [50-60Hz]

Application Hanging lamps

**Packaging** 

2 Box 0.833 m x 0.819 m x 0.086 m Gross weigth 8.3

Net weigth 6.97 Vol. 0.1027


## Lighting effect


### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface




#### Photometric Data





Efficiency 40.11%
Coordinate System CG
Total Flux 1961
Maximum Value 53.86

### Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty