

TECHNICAL CHARACTERISTICS

SSUPRAEP

# Supra

## Chair


The Supra chair, an elegant shell with character, in combination with different structures, is a perfect product for diverse spaces and uses.

Inspired on the structural beams constructive principles Supra achieves the feeling of both independent seat and back parts in a unique solid piece.

DESIGNED BY [NOTE DESIGN STUDIO](#)



**ondarreta**



#### DIMENSIONS

48cm x 52 cm x 85 cm x 47 cm  
[width x depth x height x seat height]

(18.89 x 20.47 x 33.46 x 18.50 inches)

#### WEIGHT

5 kg

#### PACKAGING

Two or three Chairs per box.  
Box dimensions :

62,3 cm x 48 cm x 98,5 cm  
(24.52 x 18.89 x 38.77 inches)

#### CERTIFICACIÓN

Product tested under the European standard EN 16139:2013, category of severe use L2.

#### ACCESORIES

Felt glides (black)


Trolley

Writing table

Linking piece

#### STACKABILITY

Up to 20 units




#### ORIGIN

100% Made in Europe

#### DESIGN

Note Design Studio



## COMPONENTS

### FRAME

#### Material

16mm (6.29 inches) side and 2 mm (0.78 inches) thickness cold laminated E-220 quality (EN 10305 Norm) steel tube.  
Tensile Strength > 310 N/mm<sup>2</sup>;  
Elastic limit > 220 N/mm<sup>2</sup>; Elongation > 23%

#### Finish

Colour epoxy

### SHELL

#### Special Raw textured polypropylene

Special raw copolymer translucent textured polypropylene with matt finish. Very good mechanical properties, translucency and lightness.

#### Technical Features

Density (s/ ISO 1183): 900 kg/m<sup>3</sup>;  
Yield stress (s/ ISO 527-1/-2): 23 N/mm<sup>2</sup>;  
Flexural modulus (s/ ISO 178): 1100 N/ mm<sup>2</sup> (23°C)

#### Finish

Matt textured polypropylene, fully upholstered or seat pad upholstered.

### UPHOLSTERY

#### Fully upholstered

Exclusive and unique upholstery system that allows the fabric a perfect adherence to the shell (both seat and back), maintaining the own chair's shape. Medium density polyether stuffing foam.

#### Upolstered seat pad

Exclusive and unique upholstery system that allows the fabric a perfect adherence to the seat, maintaining the own chair's shape. Medium density polyether stuffing foam.

### STACKING PIECE

Stacking pp piece adjusted to the structure below the upholstered seat.



## METAL FINISHES

### **EPOXYS**

Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compounds free. Electrostatic application and oven curated at 200°C (392°F). Treatment option for outdoor protection.

### **Technical characteristics:**

Thickness (ISO 2360): between 60 and 90 µm. Adherence (ISO 2409): Grade: 0 (maximum adherence)

